



MERCEDES klasa R 5D

Cat. no:

D51



02.2006 →




E20-55R-01 4677




2h

D


12,5 kN



R=2100 kg



S=85 kg



M6 - 8,5 Nm  
M10 - 41 Nm  
M14 - 112 Nm


M8 - 20 Nm  
M12 - 70 Nm  
M16 - 170 Nm



0 km




1000 km




|   |  |     |  |    |                                 |      |
|---|--|-----|--|----|---------------------------------|------|
| 1 |  | x 1 |  | 8  | M12x70                          | x 2  |
|   |  |     |  | 9  | M12x35                          | x 6  |
|   |  |     |  | 10 | M10x40                          | x 8  |
|   |  |     |  | 11 | M8x45                           | x 1  |
| 2 |  | x 1 |  | 12 | Ø 13                            | x 8  |
|   |  |     |  | 13 | Ø 30xØ10.5x2.5<br>10 (DIN 9021) | 6    |
| 3 |  | x 1 |  | 14 | Ø 8.3                           | x 2  |
| 4 |  | x 1 |  | 15 | Ø 12.2                          | x 8  |
| 5 |  | x 1 |  | 16 | Ø 10.2                          | x 12 |
|   |  |     |  | 17 | M12                             | x 8  |
|   |  |     |  | 18 | M10                             | x 8  |
| 6 |  | x 1 |  | 19 | M8                              | x 1  |
| 7 |  | x 1 |  |    |                                 |      |


01




02




03




04




05




06




07




08




09




10









11




12






19



20



M6 - 11 Nm  
M10 - 50 Nm  
M14 - 138 Nm

M8 - 25 Nm  
M12 - 87 Nm  
M16 - 210 Nm

0 km → 1000 km